

IN THE WIND PENDANT VERTICAL

Arihiro Miyake

Lampade a sospensione realizzate con estruso di alluminio la cui torsione fuori asse permette un'illuminazione diffusa a 360°. La sorprendente torsione è realizzata attraverso una tecnica ingegnerizzata da Nemo e crea una forma fluida ed elegante. I diffusori sono in metacrilato opalino mentre le parti terminali sono in alluminio pressofuso. Le lampade sono disponibili in bianco opaco, nero opaco, grigio titanio e oro opaco.



LED 2700K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	2700K
Luminous flux	2850lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC
Notes	cable length 3m, also available in 120V, TRIAC VERSION on request
Net lamp weight	4 kg

Codes

ITW LWW 55
ITW LNW 55
ITW LGW 55
ITW LDW 55

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni



LED 3000K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	2850lm
Typ CRI	85
Energy class	A+
Materials	aluminium + PC
Notes	cable length 3m, also available in 120V
Net lamp weight	4 kg

Codes

- ITW LWW 58
- ITW LNW 58
- ITW LGW 58
- ITW LDW 58

Structure/Diffuser

- white/white
- black/white
- gold/white
- titan grey/white

PACKAGE

Package 01	Dimension: 28x28x195 cm / Gross weight: 7 kg
------------	--

Certificazioni



IN THE WIND

PENDANT HORIZONTAL

Arihiro Miyake

Lampade a sospensione realizzate con estruso di alluminio la cui torsione fuori asse permette un'illuminazione diffusa a 360°. La sorprendente torsione è realizzata attraverso una tecnica ingegnerizzata da Nemo e crea una forma fluida ed elegante. I diffusori sono in metacrilato opalino mentre le parti terminali sono in alluminio pressofuso. Le lampade sono disponibili in bianco opaco, nero opaco, grigio titanio e oro opaco.



LED 2700K

LAMPING


Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	2700K
Luminous flux	2850lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC
Notes	metal cable length 3m, electric cable lenght 5m, also available in 120V, TRIAC VERSION on request
Net lamp weight	4 kg

<i>Codes</i>	<i>Structure/Diffuser</i>
ITW LWW 56	white/white
ITW LNW 56	black/white
ITW LGW 56	gold/white
ITW LDW 56	titan grey/white

PACKAGE

Package 01	Dimension: 28x28x195 cm / Gross weight: 7 kg
------------	--

Certificazioni



LED 3000K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	2850lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC
Notes	metal cable length 3m, electric cable lenght 5m, also available in 120V
Net lamp weight	4 kg

Codes

ITW LWW 57
ITW LNW 57
ITW LGW 57
ITW LDW 57

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni

