


MONO M400

de Vantot

FICHE TECHNIQUE TECHNICAL SHEET



SUSPENSION

PENDANT LAMP

Matériaux **Aluminium, verre**
Materials Aluminium, glass

Poids net **1,9 kg**
Net weight

Emballage
Packaging

IP **20**
IP

Tension **110-240V**
Voltage

Classe **2**
Class

Watt **8,4W**
Watt

Source **LED intégrée 2700 K, gradable**
Source Integrated LED 2700 K, dimmable

Lumens **840 lm**
Lumens output

Driver **Driver fourni intégré (65 x 50 x 27,5 mm)**
Driver **500 mA / 24V**
Integrated driver supplied (65 x 50 x 27,5 mm)
500 mA / 24V

Câble **Longueur: 3 m**
Wire Length: 3 m

Interrupteur **Sur la lampe**
Switch On the lamp


Fiches **NA**
Plug

FINITION FINISH



Dark grey

GREY



MONO L500

de Vantot

FICHE TECHNIQUE TECHNICAL SHEET



SUSPENSION

PENDANT LAMP

Matériaux Aluminium, verre
Materials Aluminium, glass

Poids net 3 kg
Net weight

Emballage
Packaging

IP 20
IP

Tension 110-240V
Voltage

Classe 2
Class

Watt 13W
Watt

Source LED intégrée 2700 K, gradable
Source Integrated LED 2700 K, dimmable

Lumens 1300lm
Lumens output

Driver Driver fourni intégré (65 x 50 x 27,5 mm)
500 mA / 24 V
Driver Integrated driver supplied (65 x 50 x 27,5 mm)
500 mA / 24 V

Câble Longueur: 3 m
Wire Length: 3 m

Interrupteur Sur la lampe
Switch On the lamp



Fiches NA
Plug

FINITION FINISH



Dark grey

GREY



MONO L600

de Vantot

FICHE TECHNIQUE TECHNICAL SHEET



SUSPENSION

PENDANT LAMP

Matériaux
Materials

Aluminium, verre
Aluminium, glass

Poids net
Net weight

3,8 kg

Emballage
Packaging

IP
IP

20

Tension
Voltage

110-240V

Classe
Class

2

Watt
Watt

13W

Source
Source

LED intégrée 2700 K, gradable
Integrated LED 2700 K, dimmable

Lumens
Lumens output

1300lm

Driver

Driver

Driver fourni intégré (65 x 50 x 27,5 mm)
500 mA / 24V
Integrated driver supplied (65 x 50 x 27,5 mm)
500 mA / 24V

Câble
Wire

Longueur: 3 m
Length: 3 m

Interrupteur
Switch

Sur la lampe
On the lamp

Fiches
Plug

NA

FINITION FINISH



Dark grey

GREY