

APPLIQUE À VOLET PIVOTANT

Charlotte Perriand

Famiglia di lampade da parete con diffusore “volet” orientabile in alluminio e struttura in metallo. La struttura è sempre verniciata bianca, il volet può essere in diverse finiture anodizzato naturale, anodizzato nero o in inox lucidato a specchio. Nella versione piccola E14 e le versioni LED il volet può essere verniciato rosso, giallo o blu. Nella versione E14, l'interruttore è posizionato sulla struttura della lampada (on board) e la lampada è dotata di cavo e spina per un'installazione libera e semplice. La lampada emette luce indiretta verso la parete e il fascio può essere orientato a piacere.



R7S HALO

LAMPING

Source	R7s (75mm)
Total power	80W
Emission	indirect orientable
Switching	dimmable
Tension	230V
Dimensions	17x13x8
Materials	aluminium
Notes	orientable. Cable length 1.1m
Net lamp weight	0,8 kg

Codes

AVP HWD 31
AVP HWN 31
AVP HWH 31


Structure/Diffuser

white/aluminium natural anodized
white/black
white/polished inox

PACKAGE

Package 01 Dimension: 15x24x10 cm / Gross weight: 0,9 kg

Certificazioni



LED

LAMPING

Source	LED board
Total power	10W
Emission	indirect orientable
Switching	not dimmable
Tension	110/230V
Color temperature	3000K
Luminous flux	235lm (source luminous flux)
Typ CRI	85
Energy class	A+
Dimensions	17x13x8
Materials	aluminium
Notes	orientable. Cable length 1.1m
Net lamp weight	0,8 kg

Codes

AVP LWD 31
AVP LWN 31
AVP LWR 31
AVP LWG 31
AVP LWB 31
AVP LWH 31
AVP LWW31


Structure/Diffuser

white/aluminium natural anodized
white/black
white/red
white/yellow
white/blue
white/polished inox
white/white

PACKAGE

Package 01 Dimension: 15x24x10 cm / Gross weight: 0,9 kg

Certificazioni



E14 LED/HALO/FLUO

LAMPING

Source	E14
Total power	8W
Emission	indirect orientable
Switching	dimmable according to bulb
Tension	230V
Materials	aluminium
Notes	switch on board, indirect orientable, bulb Ømax 3cm, with external cable plug (removable), cable length 1,1m; red RAL 3002, yellow RAL 1033, blue RAL 5002

Codes

AVP EWN 31
AVP EWD 31
AVP EWR 31
AVP EWG 31
AVP EWB 31
AVP EWH 31
AVP EWW 31


Structure/Diffuser

white/black anodized
white/aluminum natural anodized
white/red
white/yellow
white/blue
white/polished inox
white/white

PACKAGE

Package 01 Dimension: 15x24x10 cm


Certificazioni



APPLIQUE À VOLET PIVOTANT DOUBLE

Charlotte Perriand

Famiglia di lampade da parete con diffusore “volet” orientabile in alluminio e struttura in metallo. La struttura è sempre verniciata bianca, il volet può essere in diverse finiture anodizzato naturale, anodizzato nero o in inox lucidato a specchio. Nella versione piccola E14 e le versioni LED il volet può essere verniciato rosso, giallo o blu. La lampada emette luce indiretta verso la parete e il fascio può essere orientato a piacere.



E14 LED/HALO/FLUO

LAMPING

Source	E14
Total power	2x8W
Emission	indirect orientable
Switching	dimmable according to bulb
Tension	230V
Dimensions	34x13x8
Materials	aluminium
Notes	orientable, bulb Ø max 3cm
Net lamp weight	1,25 kg


Codes

AVP EWD 33	white/aluminium natural anodized
AVP EWN 33	white/black
AVP EWH 33	white/polished inox
AVP EWR 33	white/red
AVP EWG 33	white/yellow
AVP EWB 33	white/blue
AVP EWW 33	white/white

PACKAGE

Package 01	Dimension: 16x37x16 cm / Gross weight: 1,75 kg
------------	--

Certificazioni



R7S HALO

LAMPING

Source	R7s (75mm)
Total power	2x80W
Emission	indirect orientable
Switching	dimmable
Tension	230V
Materials	aluminium
Notes	indirect orientable
Net lamp weight	1,25 kg

Codes

- AVP HWD 33
- AVP HWN 33
- AVP HWH 33

Structure/Diffuser

- white/aluminium natural anodized
- white/black
- white/polished inox

PACKAGE

Package 01	Dimension: 16x37x16 cm / Gross weight: 1,75 kg
------------	--

Certificazioni

0,2 m



LED

LAMPING

Source	LED board
Total power	20W
Emission	indirect orientable
Switching	not dimmable
Tension	110/230V
Color temperature	3000K
Luminous flux	585lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium
Notes	indirect orientable, red RAL 3002, yellow RAL 1033, blue RAL 5002
Net lamp weight	1,25 kg


Codes

AVP LWD 33	white/aluminium natural anodized
AVP LWN 33	white/black
AVP LWH 33	white/polished inox
AVP LWW 33	white/white
AVP LWR 33	white/red
AVP LWG 33	white/yellow
AVP LWB 33	white/blue

PACKAGE

Package 01	Dimension: 16x37x16 cm / Gross weight: 1,75 kg
------------	--

Certificazioni



APPLIQUE À VOLET PIVOTANT PLIÉ

Charlotte Perriand

Famiglia di lampade da parete con diffusore “volet” orientabile in alluminio e struttura in metallo. La struttura è sempre verniciata bianca, il volet può essere in diverse finiture anodizzato naturale, anodizzato nero o in inox lucidato a specchio. Nella versione piccola E14 e le versioni LED il volet può essere verniciato rosso, giallo o blu. La lampada emette luce indiretta verso la parete e il fascio può essere orientato a piacere.



E14 LED/HALO/FLUO

LAMPING

Source	E14
Total power	2x8W
Emission	indirect orientable
Switching	dimnable according to bulb
Tension	230V
Materials	aluminium
Notes	indirect orientable, bulb Ø3cm max
Net lamp weight	1,25 kg

Codes

AVP EWD 32
AVP EWN 32
AVP EWR 32
AVP EWG 32
AVP EWB 32
AVP EWW 32

Structure/Diffuser


white/aluminium natural anodized
white/black
white/red
white/yellow
white/blue
white/white

PACKAGE

Package 01

Dimension: 23x37x10 cm / Gross weight: 1,75 kg

Certificazioni



R7S HALO

LAMPING

Source	R7s (75mm)
Total power	2x80W
Emission	indirect orientable
Switching	dimmable
Tension	230V
Materials	aluminium
Notes	indirect orientable
Net lamp weight	1,35 kg

Codes

AVP HWD 32

AVP HWN 32

Structure/Diffuser

white/aluminium natural anodized

white/black


PACKAGE

Package 01

Dimension: 25x36x14 cm / Gross weight: 1,85 kg

Certificazioni

0,2 m



LED

LAMPING

Source	LED board
Total power	20W
Emission	indirect orientable
Switching	not dimmable
Tension	110/230V
Color temperature	3000K
Luminous flux	826lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium
Notes	indirect orientable, red RAL 3002, yellow RAL 1033, blue RAL 5002
Net lamp weight	1,25 kg

Codes

AVP LWD 32
AVP LWN 32
AVP LWW 32
AVP LWR 32
AVP LWG 32
AVP LWB 32

Structure/Diffuser

white/aluminium natural anodized
white/black
white/white
white/red
white/yellow
white/blue

PACKAGE

Package 01
Dimension: 23x37x10 cm / Gross weight: 1,75 kg

Certificazioni

