

ZENA

Roberto Paoli

L'essenzialità di Zena è il risultato di un attento studio di ricerca geometrica, che ha generato un oggetto essenziale e potente con importanti prestazioni luminose. Zena rappresenta una rivoluzione nel mondo delle lampade a parete, un esperimento contemporaneo che trasforma l'applique da oggetto tradizionalmente statico in elemento dinamico e sofisticato, un'importante sintesi tra obiettivi di leggerezza, potenza e fruibilità. Zena è realizzata da una serie di estrusi in alluminio riciclabile presentata nelle versioni bianco opaco e nero opaco.



LED | 2700K

LAMPING

Source	LED board
Total power	30W
Emission	diffused
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	3000lm
Typ CRI	85
Dimensions	28x8x10,3


Codes

ZEN LW2 31
ZEN LN2 31

Structure

white
black

Certificazioni



LED | 3000K

LAMPING

Source	LED board
Total power	30W
Emission	diffused
Switching	dimnable TRIAC
Tension	230V
Color temperature	3000K
Luminous flux	3000lm
Typ CRI	85
Dimensions	28x8x10,3


Codes

ZEN LWW 31
ZEN LNW 31

Structure

white
black

Certificazioni



LED | 2700K IP54

LAMPING

Source	LED board
Total power	30W
Emission	diffused
Switching	dimmable TRIAC
Tension	230V
Color temperature	2700K
Luminous flux	3000lm
Typ CRI	85
IP class	54
Dimensions	28x8x10,3


Codes

ZEN LN2 33
ZEN LW2 33

Structure

black
white

Certificazioni



LED | 3000K IP54

LAMPING

Source	LED board
Total power	30W
Emission	diffused
Switching	dimnable TRIAC
Tension	230V
Color temperature	3000K
Luminous flux	3000lm
Typ CRI	85
IP class	IP54
Dimensions	28x8x10,3

Codes

ZEN LNW 33
ZEN LWW 33

Structure

black
white

Certificazioni

